



» NON-ALCOHOL RAPID SURFACE DISINFECTANTS «

# ACTOANID® SPRAY

**Rapid Surface Disinfectant for Medical Devices  
Sensitive to Alcohol**

- ✓ Contains the combination of PHMB and QAC
- ✓ Suitable for use on alcohol-sensitive surfaces
- ✓ Free of alcohol, aldehyde and phenol
- ✓ A wide material compatibility including incubator and acrylic glasses
- ✓ Bactericidal, yeasticidal and virucidal
- ✓ Short contact time
- ✓ Ready-to-use
- ✓ Offers different usage possibilities with spray and foam nozzle
- ✓ Certified by the German Society for Microbiology and Hygiene **DGHM/VAH**
- ✓ Dermatologically tested and approved in the German **DERMATEST** laboratory



**Actoanid® Spray** is an alcohol-free, ready-to-use medical device disinfectant developed for use on all surfaces, including alcohol-sensitive surfaces.

Offers different usage preferences with spray and foam nozzle. It can be used safely on sensitive surfaces such as incubator and ultrasound probe.



**German Company**



**ACTO®** | Pharma  
Cosmetic  
Disinfection  
Wound Care  
Food Supplement  
Active Chemical Technology Organisation

# ACTOANID® SPRAY

Rapid Surface Disinfectant for Medical Devices  
Sensitive to Alcohol



## Areas of Application:

Suitable for cleaning and disinfecting surfaces of alcohol-sensitive medical devices used in hospitals, doctor offices and clinics.

## Method of Use:

Spray the surface to be disinfected from a distance of 30 cm and ensure that the surface is completely covered. wait for the recommended exposure time to take effect. Always complete the disinfection and cleaning process by wiping from clean areas to dirty areas, from farther areas to closer areas, and from top to bottom with a clean and dry cloth. Make sure that the surface is completely wet.

## Chemical Composition:


100 g contains:

0.23 g Poly (Hexamethylene Biguanide)


Hydrochloride, (PHMB) 0.28 g Quaternary

ammonium compounds, (QAC) auxiliary substances.

## Instructions For Use:




Wear suitable protective gloves, goggles and clothing.



Spray the surfaces to be disinfected from a distance of 30 cm and ensure that the surface is completely covered.



Wait for the recommended action time.



Always complete the disinfection and cleaning process by wiping from clean areas to dirty areas, from farther areas to closer areas, and from top to bottom with a clean and dry cloth. Make sure that the surface is completely wet.

Packaging		
Unit	Pieces in a Box	Article-No.
500 ml	18	05.1230.500
750 ml	15	05.1230.750
1 L	12	05.1230.1
4500 ml + 500 ml	3	05.1230.45
5 L	4	05.1230.5

Microbiological Activity	Test Method	Concentration	Effect Time
Bactericidal (Incl. MRSA)	EN 13727 EN 16615	Ready-to-use	1 min.
Bactericidal	EN 13697	Ready-to-use	5 min.
Yeasticidal ( <i>C. albicans</i> )	EN 13624 EN 16615	Ready-to-use	1 min.
Yeasticidal ( <i>C. albicans</i> )	EN 13697	Ready-to-use	5 min.
Limited Virucidal ( <i>Vaccinia</i> , <i>Corona</i> , <i>Rota</i> )	EN 14476	Ready-to-use	1 min.

